

### **Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

Claim 1 (Currently Amended): A combination patient connector for peritoneal dialysis and device (12) for loading a new closure plug into the patient connector (PK) whose closure plug has already been used, said patient connector comprising a housing and a movable actuator, and said device consisting of a housing (3, 7) containing the new closure plug (1) and of means (2, 8) for transferring the new closure plug (1) out of the device (12) and into one end of the patient connector (PK), wherein transferring the new closure plug into the patient connector moves the actuator from a used position to a starting position.

Claim 2 (Currently Amended): The device of claim 1, wherein the housing (3, 7) is connectable with the portion of the patient connector (PK) into which the new closure plug (1) is to be transferred.

Claim 3 (Previously Presented): The device of claim 2, wherein the housing (3, 7) can be connected with the patient connector (PK) by means of a positive connection.

Claim 4 (Previously Presented): The device of claim 2, wherein the housing (3, 7) can be connected with the patient connector (PK) by means of a friction-type connection.

Claim 5 (Currently Amended): The device of claim 1, wherein the means (8) for transferring the new closure plug is engineered as a push-button or turning knob (8) at the opposite end of the housing (7) to where the new closure plug (1) exits the same, with an intermediate element being provided between the push-button or turning knob (8) and the new closure plug (1).

Claim 6 (Currently Amended): The device of claim 1, wherein the means (2) for transferring the new closure plug (1) is designed as a holder (2) for the new closure plug (1), the retention force exerted by said holder on the new closure plug (1) being lower than the retention force exerted on the new closure plug (1) in the patient connector (PK).

Claim 7 (Currently Amended): The device of claim 1, wherein prior to transfer, the new closure plug (1) is held in a retracted position within the housing (3,7) so as to be protected from contamination.

Claim 8 (Currently Amended): A method for loading a new closure plug into a patient connector (PK) whose closure plug has been used, the patient connector having a movable actuator and being adapted to be connected to a tube inserted into a patient's abdominal cavity for peritoneal dialysis, the method comprising the following steps:

connecting a housing (3, 7) containing the new closure plug (1) with the portion of the patient connector (PK) into which the new closure plug (1) is to be transferred, and

subsequently transferring the new closure plug (1) ~~from~~ out of the housing (3, 7) ~~to~~ and into the patient connector (PK), said step of transferring moving the actuator from a used position to a starting position, so that the patient connector can be used again.

Claim 9 (Currently Amended): The method of claim 7 8, wherein the housing (3, 7) is connected with the patient connector (PK) by means of a positive connection or a

friction-type connection.

Claim 10 (Currently Amended): The method according to claim 7 8, wherein the new closure plug (1) is transferred by linear displacement from the housing (3, 7) into the patient connector (PK).

Claim 11 (Currently Amended): The method according to claim 7 8, wherein the linear displacement of the new closure plug (1) is triggered by actuation of a push-button or turning knob (8).

Claim 12 (Currently Amended): The method according to claim 7 8, wherein the new closure plug (1) is transferred on account of the retention force exerted by the holder on the new closure plug (1) in the housing (3,7) being lower than the holding force exerted on the new closure plug (1) in the patient connector (PK).